

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	on near3 (nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L2	31446	ad adj hoc or adhoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L3	88927	(standby or sleep \$3 or (nonrelay or (non adj relay))) near3 (state or mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L4	1615	L2 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L5	4	(nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L6	1311	((neighbor\$3) near5 (list or table)) with (node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L7	480	L6 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L8	81	L6 same L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L9	0	active near3 (nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L10	31	L2 and L6 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L11	2849	(transmit\$4 or sen\$4) near5 packet near5 (address\$2 or destin\$2) near5 node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L12	31012	(avoid\$3 or prevent\$3) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L13	50118	(avoid\$3 or prevent\$3 or stop\$4) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L14	175	node near5 (avoid\$3 or prevent\$3 or stop\$4) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L15	28	L2 and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L16	1	node near5 (refrain\$3 or abstain\$3 or "not") near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L17	195	(refrain\$3 or abstain\$3 or "not") near5 (relay\$3 or repeat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L18	5	L2 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L19	95122	(refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4) near5 (relay\$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L20	96153	(refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4 or halt \$3) near5 (relay \$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L21	420	node near5 (refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4 or halt \$3) near5 (relay \$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L22	52	L2 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L23	0	on near3 (nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L24	31446	ad adj hoc or adhoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L25	88927	(standby or sleep \$3 or (nonrelay or (non adj relay))) near3 (state or mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L26	1615	L24 and L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L27	4	(nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L28	1311	((neighbor\$3) near5 (list or table)) with (node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L29	480	L28 and L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L30	81	L28 same L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L31	0	active near3 (nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L32	31	L24 and L28 and L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L33	2849	(transmit\$4 or sen\$4) near5 packet near5 (address\$2 or destin\$2) near5 node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L34	31012	(avoid\$3 or prevent\$3) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L35	50118	(avoid\$3 or prevent\$3 or stop\$4) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L36	175	node near5 (avoid\$3 or prevent\$3 or stop\$4) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L37	28	L24 and L36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L38	1	node near5 (refrain\$3 or abstain\$3 or "not") near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L39	195	(refrain\$3 or abstain\$3 or "not") near5 (relay\$3 or repeat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L40	5	L24 and L39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L41	95122	(refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4) near5 (relay\$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L42	96153	(refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4 or halt \$3) near5 (relay \$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L43	420	node near5 (refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4 or halt \$3) near5 (relay \$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L44	52	L24 and L43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L45	0	on near3 (nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L46	31446	ad adj hoc or adhoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L47	88927	(standby or sleep \$3 or (nonrelay or (non adj relay))) near3 (state or mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L48	1615	L46 and L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L49	4	(nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L50	1311	((neighbor\$3) near5 (list or table)) with (node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L51	480	L50 and L46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L52	81	L50 same L46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L53	0	active near3 (nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L54	31	L46 and L50 and L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L55	2849	(transmit\$4 or sen\$4) near5 packet near5 (address\$2 or destin\$2) near5 node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L56	31012	(avoid\$3 or prevent\$3) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L57	50118	(avoid\$3 or prevent\$3 or stop\$4) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L58	175	node near5 (avoid\$3 or prevent\$3 or stop\$4) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L59	28	L46 and L58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L60	1	node near5 (refrain\$3 or abstain\$3 or "not") near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L61	195	(refrain\$3 or abstain\$3 or "not") near5 (relay\$3 or repeat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28



L62	5	L46 and L61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L63	95122	(refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4) near5 (relay\$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L64	96153	(refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4 or halt \$3) near5 (relay \$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L65	420	node near5 (refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4 or halt \$3) near5 (relay \$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L66	52	L46 and L65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L67	0	on near3 (nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L68	31446	ad adj hoc or adhoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L69	88927	(standby or sleep \$3 or (nonrelay or (non adj relay))) near3 (state or mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L70	1615	L68 and L69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L71	4	(nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L72	1311	((neighbor\$3) near5 (list or table)) with (node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L73	480	L72 and L68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L74	81	L72 same L68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L75	0	active near3 (nonrelay or (non adj relay)) near3 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L76	31	L68 and L72 and L69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L77	2849	(transmit\$4 or sen\$4) near5 packet near5 (address\$2 or destin\$2) near5 node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L78	31012	(avoid\$3 or prevent\$3) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L79	50118	(avoid\$3 or prevent\$3 or stop\$4) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L80	175	node near5 (avoid\$3 or prevent\$3 or stop\$4) near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L81	28	L68 and L80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L82	1	node near5 (refrain\$3 or abstain\$3 or "not") near5 relay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L83	195	(refrain\$3 or abstain\$3 or "not") near5 (relay\$3 or repeat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L84	5	L68 and L83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28

L85	95122	(refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4) near5 (relay\$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L86	96153	(refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4 or halt \$3) near5 (relay \$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L87	420	node near5 (refrain\$3 or abstain\$3 or "not" or avoid\$3 or prevent\$3 or stop\$4 or halt \$3) near5 (relay \$3 or repeat\$3 or retransmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L88	52	L68 and L87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 12:28
L89	208920	(relay\$3 or forward\$3 or (pass\$3 adj on)) near5 (data or information of packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:16
L91	1385	((relay\$3 or forward\$3 or (pass\$3 adj on)) near5 (data or information or packet)) with (credit\$3 or incentive or reward\$3 or encourag\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:19

L92	113	((relay\$3 or forward\$3 or (pass\$3 adj on)) near5 (data or information or packet)) with (credit\$3 or incentive or reward\$3 or encourag\$5)) and (adhoc or (ad adj hoc) or multihop\$4 or (multi\$3 adj hop \$4) or p2p or (peer adj to adj peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:21
L93	4	((relay\$3 or forward\$3 or (pass\$3 adj on)) near5 (data or information or packet)) with (credit\$3 or incentive or reward\$3 or encourag\$5) with (limit\$3 or threshold or maximum)) and (adhoc or (ad adj hoc) or multihop\$4 or (multi\$3 adj hop \$4) or p2p or (peer adj to adj peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 13:21

2/ 10/ 2009 2:07:38 PM

C:\Documents and Settings\mgenack\My Documents\EAST\Workspaces\09939624.wsp